



EP
Let's grow together

Tractor de Arrastre QDD10

Tractor Eléctrico Capacidad 1Ton.

- Ideal para tareas en el Retail y Plataformas de Entrega.
- Aplicable para las Industrias de Retail, Aeropuertos y Logística.

Tractor de Arrastre QDD 1.0Ton.

Distinguishing mark				
1.1	Manufacturer			EP
1.2	Model designation			QDD10
1.3	Drive unit			Electrics
1.4	Operator type			pedestrian
1.5	rated capacity	Q	t	1
1.7	Rated drawbar pull	F	N	200
1.9	Wheelbase	y (mm)	mm	315
Weight				
2.1	Service weight ¹ include battery ²		kg	98
2.2	Axle loading, laden driving side/loading side			98/0
2.3	Axle loading, unladen driving side/loading side		kg	78/20
Types,Chassis				
3.1	Tyre type driving wheels/loading wheels			rubber
3.2	Tyre size, driving wheels ² diameter×width ²		mm	2x Φ250x85
3.3	Tyre size, loading wheels ² diameter×width ²		mm	2x Φ75x32
3.5	Wheels, number drivingr/loading (x=drive wheels)		mm	2x /2
3.6	Track width, front,driving side	b ₁₀ (mm)	mm	428
3.7	Track width,rear,loading side	b ₁₁ (mm)	mm	217
Dimensions				
4.8	standing height	h ₇ (mm)	mm	—
4.9	Height drawbar in driving position min./max.	h ₁₄ (mm)	mm	835□ 930□ 1010
4.12	Tow coupling height scope	h ₁₀ (mm)	mm	
4.19	Overall length	l ₁ (mm)	mm	1255~1315~1345
4.21	Overall width	b ₁ / b ₂	mm	520
4.32	Ground clearance, center of wheelbase	m ₂ (mm)	mm	—
Performance data				
5.1	Travelspeed, laden/ unladen		km/ h	4.5/5
5.5	Drawbar pull, laden/unladen		N	200
5.6	Max. drawbar pull, laden/unladen		N	650
5.7	Gradeability, laden/unladen		%	3/16
5.10	Service brake type			Mechanical
Electric-engine				
6.1	Drive motor rating S2 60 min		kW	0.4
6.3	The maximum allowed size battery		mm	196/165/175
6.4	Battery voltage/nominal capacity K20		V/ Ah	2x12/50
6.5	Battery weight		kg	2x19
Addition data				
8.1	Type of drive unit			DC
10.5	Steering type			Mechanical
10.7	Sound pressure level at the driver's ear		dB (A)	74
10.8	Towing coupling, type DIN 15170			—

1.The parameters in the table are of the standard model. For more information, please contact us.

2.The parameters are subject to change without notice.

Soluciones de Paquetería



- Gran flexibilidad con mínimo volumen para arrastrar carros de alambres.
- Fuerte tracción
- Operación estable
- Fácil de Cargar
- Manubrio ajustable

